

HEIGHT-ADJUSTABLE WORKSTATION RANGE



rapidline

Boost
& Halo
Range

RAPIDLINE WORKSTATIONS

Rapidline offers a complete range of commercial-grade workstations with advanced features, available in a range of sizes and finishes to suit all workspaces.

Supported by commercial warranties, and selected from Sedex compliant factories, you can have peace of mind that Rapidline workstations maintain high quality standards and are built to stand the test of time.

With warehouses across Brisbane, Sydney, Melbourne, Adelaide, and Perth, and a local customer service team in each state, Rapidline can provide workstation solutions off the shelf, available for immediate delivery.



Contents

Boost & Halo Range	3	Halo Static	19-22
Boost Static	4-7	Single Workstations	20
Single Workstations	5	Back to Back Workstations	21
Back to Back Workstations	6	Corner Workstations	22
Corner Workstations	7	Halo+ Range	23-28
Boost Light	8	Single Workstations	24
Single Workstations	8	Back to Back Workstations	25
Boost Crank	9-12	Corner Workstations	26
Single Workstations	10	Executive Workstation	27-28
Back to Back Workstations	11	Accessories	29-34
Corner Workstations	12	Frames	35-38
Boost+ Range	13-18		
Single Workstations	15		
Back to Back Workstations	16		
Corner Workstations	17		
Executive Workstation	18		

BOOST & HALO WORKSTATIONS

WHICH RANGE SUITS YOU?

Product	Height-adjustable	Cable Tray Option	Privacy Screen Option	Back to Back Option	Corner Option	Executive Option	Motor	Lifting Capacity	Adjustment speed	Legs
Boost & Halo Static	X	✓	✓	✓	✓	X	N/A	N/A	N/A	Single
Boost Crank	✓	✓	✓	✓	✓	X	N/A	120kg	10mm p/full turn	2 Stage
Boost Light	✓	✓	✓	X	X	X	Single	80kg	25mm p/sec	3 Stage
Boost+ & Halo+	✓	✓	✓	✓	✓	✓	Dual	120kg	38mm p/sec	3 Stage



STATIC

Single column leg



LIGHT

Visible single motor



CRANK

Manual crank handle



PLUS

Dual motor 3 stage leg


BOOST STATIC & BOOST LIGHT WORKSTATION RANGES

As popular alternatives to our Rapidline Boost+, Boost Light and Boost Static are here to stay with their quality features and affordable price tag.

As an alternative to the popular Boost+, the Boost Light features a single motor with 80kg lifting capacity and 25mm per second height adjustment. Available as a straight, open desk, with cable tray and privacy screen options.

The Boost Static is a fixed-height workstation which perfectly complements the Boost+ range. Available in single, back to back, and corner workstations, the Boost Static is designed to meet your daily needs by combining functionality, durability, and a sleek aesthetic.

 Backed by a 10 year warranty across both ranges



BOOST STATIC SINGLE WORKSTATION

Specifications (mm):

Overall Size 750D x 730H
 Available Widths 1200, 1500, 1800

Features:

- Fixed-height workstation
- 700mm wide foot with 90mm x 60mm column size leg
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



SB1P1275



SB1PCT1575



SB1PWS1875



SB1PEPCT1875

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



BOOST STATIC BACK TO BACK WORKSTATION

Specifications (mm):

Overall Size 1530D x 730H
 Available Widths 1200, 1500, 1800

Features:

- Fixed-height workstation to suit two users
- Desk depth of 750mm per user
- 90mm x 60mm column size leg
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



SB2P1275



SB2PCT1575



SB2PWS1875



SB2PEPCT1875

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



BOOST STATIC CORNER WORKSTATION

Specifications (mm):

Overall Size 750D x 730H
 Available Widths 1500 x 1500, 1800 x 1500, 1800 x 1800

Features:

- Fixed-height corner workstation for more desk space
- 700mm wide foot with 90mm x 60mm column size leg
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with 80mm diameter cable entry hole with cover
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



SBCNR1P1515



SBCNRCT1P1815



SBCNRWS1P1818



SBCNREPCT1P1818

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



BOOST LIGHT SINGLE WORKSTATION

Specifications (mm):

Overall Size 750D x 670-1270H
 Available Widths 1200, 1500, 1800

Features:

- Height-adjustable workstation with 80kg lifting capacity
- 700mm wide foot with 90mm x 60mm column size leg
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Single motor with adjustment at 25mm per second and noise emission of less than 50DB
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:


- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



BLI1P1275



BLI1PCT1575



BLI1PWS1275



BLI1PEPCT1875

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:





BOOST CRANK WORKSTATION RANGE

With the perfect blend of functionality, affordability, and ergonomic support, the Boost Crank's polished design complements the modern office aesthetic.

The Boost Crank features manual height adjustment capability, allowing users to customise their workspace to optimal ergonomic levels effortlessly. With a maximum speed of 15mm per second, it ensures swift adjustments while maintaining stability and reliability throughout the work day.

Available in versatile configurations, the Boost Crank offers a cost-effective solution to enhance workplace ergonomics. Ideal for promoting productivity and comfort, it combines durability, ease of use, and modern design to meet diverse workplace needs.

Backed by a 10 year warranty across the range.



BC1P1275



BC1PCT1575



BC1PWS1875



BC1PEPCT1875

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



BOOST CRANK SINGLE WORKSTATION

Specifications (mm):

Overall Size	750D x 705-1155H
Available Widths	1200, 1500, 1800

Features:

- Manual height-adjustable workstation
- Side winder crank handle with max speed of 15mm per second (10mm per full turn circle)
- 120kg lifting capacity
- 700mm wide foot with 90mm x 60mm column size leg
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey

BOOST CRANK BACK TO BACK WORKSTATION

Specifications (mm):

Overall Size 1530D x 705-1155H
Available Widths 1200, 1500, 1800

Features:

- Suits two users with 120kg lifting capacity per desk
- Desk depth of 750mm per user
- Side winder crank handle on each side
- Max speed of 15mm per second (10mm per full turn circle)
- Overall height of 1330mm with screens
- 90mm x 60mm column size leg
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



BC2P1275



BC2PCT1575



BC2PWS1275



BC2PEPCT1875

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



BOOST CRANK CORNER WORKSTATION

Specifications (mm):

Overall Size 750D x 705-1155H
Available Widths 1500 x 1500, 1800 x 1500, 1800 x 1800

Features:

- Manual height-adjustable corner workstation
- 140kg lifting capacity
- Side winder crank handle
- Max speed of 15mm per second (10mm per full turn circle)
- Overall height of 1330mm with screens
- 700mm wide foot with 90mm x 60mm column size leg
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with 80mm diameter cable entry hole with cover
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



BCCNR1P1515



BCCNRCT1P1815



BCCNRWS1P1818



BCCNREPCT1P1818

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:





BOOST+ WORKSTATION RANGE

The Rapidline Boost+ continues to lead the way in height-adjustable workstation solutions within the commercial furniture industry.

With low noise emission and easy assembly, Boost+ goes above and beyond to meet and exceed the Australian standards for height-adjustable workstations across the board.

Featuring advanced anti-collision and anti-tilt technology, quiet adjustment at 38mm per second, and a 120kg+ weight rating, this workstation ticks all the boxes for durability and stability, while being easily operated from the touch of an LED digital controller.

Available in a variety of configurations including single, corner, back to back, and a two-piece executive workstation—all with optional screens and cable trays.

 **Backed by a 10 year warranty across the range.**

BOOST+

SINGLE WORKSTATION

Specifications (mm):

Overall Size 750D x 670-1270H
 Available Widths 1200, 1500, 1800

Features:

- Height-adjustable workstation with 120kg lifting capacity
- 700mm wide foot with 90mm x 60mm column size leg
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Dual motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



B+1P1275



B+1PCT1575



B+1PWS1875



B+1PEPCT1875



Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



BOOST+

BACK TO BACK WORKSTATION

Specifications (mm):

Overall Size 1530D x 670-1270H
 Available Widths 1200, 1500, 1800

Features:

- Suits two users with 120kg lifting capacity per desk
- Desk depth of 750mm per user
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Dual motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



B+2P1275



B+2PCT1575



B+2PWS1875



B+2PEPCT1875



Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



BOOST+ CORNER WORKSTATION

Specifications (mm):

Overall Size 750D x 670-1270H
 Available Widths 1500 x 1500, 1800 x 1500, 1800 x 1800

Features:

- Height-adjustable corner workstation for more desk space
- 140kg lifting capacity
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Triple motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with 80mm diameter cable entry hole with cover
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



B+CNR1P1515



B+CNRCT1P1815



B+CNRWS1P1818



B+CNREPCT1P1818



Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



BOOST+ EXECUTIVE RANGE

Specifications (mm):

Available Sizes 1800 x 750, 1800 x 900, 2100 x 750
 Overall Height 620 - 1270H
 Side Cabinet Size 1800W x 500D x 520H

Features:

- Two-piece, height-adjustable workspace with storage
- Available in left or right-hand configurations
- 700mm wide foot with 90mm x 60mm column size leg
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- 120kg lifting capacity and max speed of 38mm per second
- Natural Oak side cabinet with Natural White drawers and doors
- Storage includes 2 x drawers, 1 x double swing door cupboard, and 1 x single swing door cupboard with adjustable shelf
- Drawers fitted with cyberlock 4-digit manual combination lock
- E0 rated melamine top in Natural Oak or Natural White
- No cable entry holes or scallops in table top
- 10 year warranty

Add-ons:

- Cable snake available to run from floor to underside of desktop for cable management
- Telescopic cable tray to mount under the desktop, with provisions for GPO modules and/or data
- Optional perforated modesty panel for privacy when visible from the front, available in black or white powdercoat



BELE187



BERI187



BELEMP189



BERIMP217



Top Finishes:



Cabinet Finish:



Base Finishes:



*Frame only

HALO STATIC WORKSTATION RANGES

Designed for the modern professional, the Halo Static Workstation range is a refined solution for a productive workspace.

Its E0-rated tabletop provides a sturdy surface, while the rigid edging and a discreet 50mm scallop cutout make cable management effortless, ensuring your desk remains clean and organised. The sleek, minimalist underframe, available in Black Satin or White Satin powdercoat, adds a touch of sophistication to any room.

You can further customise your setup with optional features like a fully ducted cable tray or an upholstered privacy screen, creating a truly personalised environment.

Available in single, back to back, and corner variants.

Backed by a 10 year warranty across the range



HS1P1275



HS1PCT1575



HS1PWS1875



HS1PEPCT1875

HALO STATIC SINGLE WORKSTATION

Specifications (mm):

Overall Size	750D x 730H
Available Widths	1200, 1500, 1800

Features:

- Fixed-height workstation
- Round leg design with 70mm column diameter
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Adjustable levelling feet with a foot size of 700mm
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



HALO STATIC BACK TO BACK WORKSTATION

Specifications (mm):

Overall Size 1530D x 730H
Available Widths 1200, 1500, 1800

Features:

- Fixed-height workstation to suit two users
- Desk depth of 750mm per user
- Round leg design with 70mm column diameter
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



HS2P1275



HS2PCT1575



HS2PWS1875



HS2PEPCT1875

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



HALO STATIC CORNER WORKSTATION

Specifications (mm):

Overall Size 750D x 730H
Available Widths 1500 x 1500, 1800 x 1500, 1800 x 1800

Features:

- Fixed-height corner workstation for more desk space
- Round leg design with 70mm column diameter
- Telescopic frame 1100 - 1800mm wide
- Overall height of 1330mm with screens
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with 80mm diameter cable entry hole with cover
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



HSCNR1P1515



HSCNRCT1P1815



HSCNRWS1P1818



HSCNREPCT1P1818

Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



HALO+ WORKSTATION RANGE

The Rapidline Halo+ workstations provide a premium height-adjustable offering to the market with its designer cylinder leg, smooth adjustment, and 120kg lifting capacity.

With a digital control panel featuring three pre-set positions, an LED display panel, keypad safety lock, and reminder alarm setting, you can easily adjust your workstation to your preferred height with just the touch of a button.


The innovative anti-collision and anti-tilt technology ensures that your desk is protected from accidental damage, while operating quietly with a noise emission of less than 50DB.

Choose from single, corner, back to back, and stylish executive setups.

 **Backed by a 10 year warranty across the range.**



H+1P1275



H+1PCT1575



H+1PWS1875



H+1PEPCT1875



Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



HALO+ SINGLE WORKSTATION

Specifications (mm):

Overall Size	750D x 670-1270H
Available Widths	1200, 1500, 1800

Features:

- Height-adjustable workstation with 120kg lifting capacity
- Round leg design with 70mm column diameter
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Dual motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Adjustable levelling feet with a foot size of 700mm
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey

HALO+

BACK TO BACK WORKSTATION

Specifications (mm):

Overall Size 1530D x 670-1270H
 Available Widths 1200, 1500, 1800

Features:

- Suits two users with 120kg lifting capacity per desk
- Desk depth of 750mm per user
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Dual motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Adjustable levelling feet
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with scalloped edges for cable access
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



H+2P1275



H+2PCT1575



H+2PWS1875



H+2PEPCT1875



Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:



HALO+

CORNER WORKSTATION

Specifications (mm):

Overall Size 750D x 670-1270H
 Available Widths 1500 x 1500, 1800 x 1500, 1800 x 1800

Features:

- Height-adjustable corner workstation for more desk space
- 140kg lifting capacity
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- Triple motor with smooth and quiet adjustment at max speed of 38mm per second
- Overall height of 1330mm with screens
- Underframe finished in black or white powdercoat
- E0 rated melamine tops available in Natural White or Natural Oak, with 80mm diameter cable entry hole with cover
- 10 year warranty

Add-ons:

- Optional cable snake and bridge upgrades available to manage power and data cords
- Cable tray with internal and external punchout provisions for power and data, available in black or white
- 900mm high Shush30+ screen available in Black/White, Grey/Black, or custom upholstery
- 900mm high Eco Panel screen with pinnable surface available in Black or Marble Grey



H+CNR1P1515



H+CNRCT1P1515



H+CNRWS1P1818



H+CNREPCT1P1818



Top Finishes:



Frame Finishes:



Shush Screens:



Eco Panels:





HELE187



HERI187



HELEMP189



HERIMP217

HALO+

EXECUTIVE RANGE

Specifications (mm):

Available Sizes	1800 x 750, 1800 x 900, 2100 x 750
Overall Height	620 - 1270H
Side Cabinet Size	1800W x 500D x 520H

Features:

- Two-piece, height-adjustable workspace with storage
- Available in left or right-hand configurations
- Round leg design with 70mm column diameter
- Digital control panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- 120kg lifting capacity and max speed of 38mm per second
- Natural Oak side cabinet with Natural White drawers and doors
- Storage includes 2 x drawers, 1 x double swing door cupboard, and 1 x single swing door cupboard with adjustable shelf
- Drawers fitted with cyberlock 4-digit manual combination lock
- E0 rated melamine top in Natural Oak or Natural White
- No cable entry holes or scallops in table top
- 10 year warranty

Add-ons:

- Cable snake available to run from floor to underside of desktop for cable management
- Telescopic cable tray to mount under the desktop, with provisions for GPO modules and/or data
- Optional perforated modesty panel for privacy when visible from the front, available in black or white powdercoat



*Frame only

Top Finishes:



Cabinet Finish:



Base Finishes:





EXDSC185-RIG
EXDSC185-LEF


Finishes:



EXECUTIVE SIDE CABINET

Features:

- Executive side cabinet for Boost+ and Halo+ range
- Left or right-hand orientation
- Drawers fitted with cyberlock 4-digit manual combination lock
- 2 x pull out drawers, 1 x double swing door cupboard, 1 x single swing door cupboard with adjustable shelf
- Soft close hinges and runners



PSM1000
PSM1300
PSM1600


Finishes:



ARCH PERFORATED MODESTY PANEL

Features:

- Available widths: 1200mm, 1500mm and 1800mm
- Provides privacy by attaching to the underside of workstations
- Available in black or white powdercoat to suit workstation
- 1.5mm steel gauge



SHS759
SHS129
SHS159
SHS189

Screen Finishes:



900MM HIGH SHUSH30+ SCREENS

Features:

- Available widths: 1200mm, 1500mm, 1800mm, and a 750mm return screen
- Slimline 30mm screen
- Pinnable full fabric surface
- Can be fixed at any height on a desk
- Functions as a screen and as a modesty panel
- Available in other screen heights. Ask us today.



EPS129
EPS159
EPS189

Finishes:



900MM HIGH ECO PANEL SCREENS

Features:

- Available widths: 1200mm, 1500mm and 1800mm
- Sound absorbing
- Functions as a screen and as a modesty panel
- Polyester fibre panel screen with pinnable surface and radial corners
- Moisture resistant and anti-mildew
- Available in other screen heights. Ask us today.



B2-BTCB

BLUETOOTH CONTROL BOX

Features:

- Allows for height adjustment control with smart phone via application.
- NOTE:** Only suitable for IOS devices with access to the App Store
- Minimum/Maximum height settings and up/down control



B2-SSCT12
B2-SSCT15
B2-SSCT18

Finishes:



SINGLE SIDED CABLE TRAY

Features:

- Internal segregation for power and data
- External and internal power and data punch out provisions
- Four external punchouts at 230mm x 42mm and two internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with two access holes for cable snakes
- 175mm D x 90mm H
- Available widths: 1010mm, 1310mm and 1610mm




B2-BATT

BATTERY PACK

Features:

- For use on height-adjustable Boost and Halo workstations that don't have power access
- Includes control box and power charging adapter
- Battery life up to approximately 30 up-down cycles before needing to be recharged
- Ideal for education and training room applications



B2-B2BCT12
B2-B2BCT15
B2-B2BCT18

Finishes:



BACK TO BACK CABLE TRAY

Features:

- Internal segregation for power and data
- External and internal power and data punch out provisions
- 4x external punchouts at 230mm x 42mm and 2x internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with two access holes for cable snakes
- 350mm D x 90mm H
- Available widths: 1010mm, 1310mm and 1610mm



SS-TCT

Finishes:



SINGLE SIDED TELESCOPIC CABLE TRAY

Features:

- Tray extends from 1300-1900mm
- Internal segregation for power and data
- External and internal power and data punch out provisions
- 4 x external punchouts at 230mm x 42mm, and 4 x internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with 2 x access holes for cable snakes



B2B-TELCT1319

Finishes:



BACK TO BACK TELESCOPIC CABLE TRAY

Features:

- Tray extends from 1300-1900mm
- Internal segregation for power and data
- External and internal power and data punch out provisions
- Four external punchouts at 230mm x 42mm and four internal punchouts at 230mm x 42mm
- Solid steel cable tray lid with 2 x access holes for cable snakes



BH-HDSNAKE

Finishes:



CABLE SNAKE

Features:

- Flexible cable snakes
- 1200mm L x 70mm W x 40mm D
- 4 x segregation channels
- 1 piece per carton
- Available in black or white to match workstation frame



BH-1300SNAKE

Finishes:



FLOOR TO UNDER DESK SNAKE

Features:

- 4 x segregation channels per snake
- One end fitted with weighted foot and one end fitted with provisions to be screwed to underside of desktop
- 1 piece per carton
- Screws for fitting not included
- Finished in black or white plastic



TUDMT1117

Finishes:



TELESCOPIC DESK MOUNT CABLE TRAY

Features:

- Telescopic under desk mount cable tray for Boost and Halo workstations
- Provisions for up to 4 x 4GPO modules or 8 x data
- Internal dimensions: 115mm D x 81mm H
- Available in black or white to suit workstation frame



B2-B2BBR
B2-SSBR

Finishes:



CABLE TRAY BRIDGE

Features:

- Allows 30mm gap between users
- **Boost+ Single Sided Workstation Cable Tray Bridge:**
- 100mm W x 175mm D x 94mm H
- Cable tray cover to go between two single-sided workstation frames
- **Boost+ Back to Back Workstation Cable Tray Bridge**
- 100mm W x 350mm D x 94mm H
- Cable tray cover to go between two back to back workstation frames



B2-SSARM
HP-SSARM


Finishes:



SINGLE SIDED ARM

Features:

- Single sided workstation cable tray and screen mounting arm
- Comes as a set of 2
- 315mm W x 60mm D x 90mm H
- ***B2-SSARM for Boost only**
- ***HP-SSARM for Halo only**



B2-SBRAC
B2-BBRAC


Finishes:



SCREEN BRACKET

Features:

- **Boost+ Single Sided Workstation Screen Bracket**
- Set of 2 per carton
- **Boost+ Back to Back Workstation Screen Bracket**
- Set of 4 per carton



B2-LEFSSLVE
B2-RIGSSLVE
HP-LEFSSLVE
HP-RIGSSLVE

Finishes:



SINGLE ARM SLEEVES

Features:

- Left and right-side sleeves to suit Boost and Halo single-sided cable tray and screen mounting arm
- Use to cover cable feed holes when not required or at the end of workstation runs
- Available in black or white to suit workstation frame



B2-BTBSLVE
HP-BTBSLVE

Finishes:




BACK TO BACK CROSS BAR SLEEVES

Features:

- Sleeve to suit cross bar on Boost and Halo back to back workstations
- Use to cover cable feed holes on cross bar when not required or at end of workstation runs
- Available in black or white to suit workstation frame



Back to back crossbar sleeve used to cover the cable feed hole of a Halo Static workstation



B2-REX

Finishes:



RAIL EXTENSION

Features:

- Rail extension beams
- 1600mm W x 30mm H x 15mm D
- 2 pieces per carton
- Suits 2100mm - 2400mm W workstations



SHSJP900
SHSJP1330

Finishes:



SHUSH30+ JOINING POLES

Features:

- 360 degree screen joining poles
- 30mm W x 30mm D
- Includes all hooks and cover plates
- Adjustable levelling foot included
- Available heights: 900mm, 1330mm
- ***See below**



SHS759


Screen Finishes:



RETURN SCREEN FOR BOOST & HALO

Features:

- SHSJP900 joining pole used to join return screen to center screen
- SHSJP1330 joining pole used as stabilising pole on the end
- Can be used with single and back to back Boost+ and Halo+ workstations
- Add return screen to one or both ends of the desk
- Desk height can be adjusted without affecting other users or screens




B2-SLIBR

NYLON GLIDE BRACKETS

Features:

- Boost and Halo can be used with a full height 1200mm or 1500mm high Shush30+ screen by attaching a nylon glide bracket
- Brackets are screwed into workstation tops and fitted to the screen extrusions, allowing smooth adjustment of the workstation while holding the screen steadily in place
- Comes as a set of 2 (1x right, 1x left)



BOOST+ WITH FULL HEIGHT SHUSH30+ SCREEN





SB-S18

Finishes:



BOOST STATIC
SINGLE SIDED FRAME

Features:

- Fixed-height frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Adjustable levelling feet
- Fixed-height of 705mm
- ***For Boost Static range only**



BLSF

Finishes:



BOOST LIGHT SINGLE
SIDED FRAME

Features:

- Height-adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Comes with digital control panel
- Adjustable levelling feet
- Anti-collision technology
- ***For Boost Light range only**



HAFH-SF

Finishes:



HALO STATIC
SINGLE SIDED FRAME

Features:

- Fixed-height frame
- 1100mm - 1800mm telescopic frame
- 70mm column diameter
- Adjustable levelling feet
- Fixed-height of 705mm
- ***For Halo Static range only**



HP-SSF

Finishes:



HALO+
SINGLE SIDED FRAME

Features:

- Height-adjustable frame
- Stylish and modern round leg
- 1100mm - 1800mm telescopic frame
- 70mm column diameter
- Adjustable levelling feet
- Comes with Digital Control Panel with 3 pre-set positions, LED display panel, keypad safety lock, and reminder alarm setting
- ***For Halo+ range only**



BCF-SF1218

Finishes:



BOOST CRANK
SINGLE SIDED FRAME

Features:

- Manual height-adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size of 90mm x 60mm
- Foot size of 700mm
- Height range of 680-1130mm
- Adjustable levelling feet
- ***For Boost Crank range only**



B2-SSF

Finishes:



BOOST+
SINGLE SIDED FRAME

Features:

- Height-adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size of 90mm x 60mm
- Foot size of 700mm
- Requires additional arms for cable tray and dividing screen add-ons
- Comes with digital control panel
- ***For Boost+ range only**



SB-BTBF18

Finishes:



BOOST STATIC
BACK TO BACK FRAME

Features:

- Fixed-height frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Fixed-height of 705mm
- Adjustable levelling feet
- ***For Boost Static range only**



BCF-BTBF1218

Finishes:



BOOST CRANK
BACK TO BACK FRAME

Features:

- Manual height-adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Height range of 680-1130mm
- Adjustable levelling feet
- ***For Boost Crank range only**



B2-BTBF

Finishes:



BOOST+
BACK TO BACK FRAME

Features:

- Height-adjustable frame
- 1100mm - 1800mm telescopic frame
- Column size: 90mm x 60mm
- Comes with mounting provisions for screens and cable trays
- Comes with digital control panel
- Includes independent height adjustment per desk
- ***For Boost+ range only**



HAFH-BTBF

Finishes:



HALO STATIC
BACK TO BACK FRAME

Features:

- Fixed-height frame
- 1100mm - 1800mm telescopic frame
- 70mm column diameter
- Fixed-height of 705mm
- Adjustable levelling feet
- ***For Halo Static range only**



HP-BTBF

Finishes:



HALO+
BACK TO BACK FRAME

Features:

- Height-adjustable frame only
- Fits 2 users
- 1100mm - 1800mm telescopic frame
- Comes with digital control panel
- Includes independent height adjustment per desk
- 70mm column diameter
- ***For Halo+ range only**



SB-RF1021

Finishes:



BOOST STATIC
RETURN FRAME

Features:

- Fixed-height frame
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Fixed-height of 705mm
- ***For Boost Static range only**



BCF-RF

Finishes:



BOOST CRANK
RETURN FRAME

Features:

- Manual height-adjustable frame
- Suits overall return size of 1400mm - 2000mm W
- Column size: 90mm x 60mm
- Lifting capacity of 100kg when attached to BCF-SF1218
- Foot size of 500mm
- ***For Boost Crank range only**



B2-RF

Finishes:



BOOST+
RETURN FRAME

Features:

- Height-adjustable frame
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Comes with digital control panel
- Foot size of 500mm
- ***For Boost+ range only**



HAFH-RF

Finishes:



HALO STATIC
RETURN FRAME

Features:

- Fixed-height frame
- 70mm column diameter
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Fixed-height of 705mm
- ***For Halo Static range only**



HP-RF

Finishes:



HALO+
RETURN FRAME

Features:

- Height-adjustable frame
- Stylish and modern round leg
- 1040mm - 2150mm telescopic frame
- Suits rectangular return table tops and radial 1 piece corner workstation tops with overall return edge size of 1450mm - 2150mm
- Adjustable levelling feet
- Comes with digital control panel
- ***For Halo+ range only**



rapidline

Furnx Queensland

2B / 39 Johnstone Road,
Brendale QLD 4500

Furnx New South Wales

Unit 6 / 2 Southridge Street,
Eastern Creek NSW 2766

Furnx Victoria

3 / 9-19 Leakes Road,
Laverton North VIC 3026

Furnx Western Australia

Unit 2 / 26 Callaway Street,
Wangara WA 6065

Furnx South Australia

2 Pope Court,
Beverley SA 5009

www.rapidline.com.au